	Application No.	Applicant(s)
	Аррисацон но.	Applicant(s)
Notice of Allowability	09/919,283	GALBI ET AL.
Nouce of Allowability	Examiner	Art Unit
	Robert C. Scheibel	2616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 1/30/2006.		
2. The allowed claim(s) is/are 1,3,5,6,10,11,16 and 20, renumbered 1-8, respectively.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) All b) Some* c) None of the:		
Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	· · · · · · · · · · · · · · · · · · ·
	Paper No./Mail Dat	te <u>20060410</u> .
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date</li> </ol>	8), 7. ⊠ Examiner's Amendr	nent/Comment
4.   Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/919,283

Art Unit: 2616

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steven L. Webb (Reg. No. 44,395) on 4/10/2006.

The application has been amended as follows:

In claim 11, line 8, "said state information buffer having an associated in use counter" has been corrected to -- said state information buffer, said context buffer, and said data buffer each having an associated in-use counter --.

In claim 11, line 12, "buffer; and" has been corrected to -- buffer; --

In claim 11, line 14, "finished." has been corrected to -- finished; --

Claim 11 has been corrected to add the following after line 14:

-- incrementing the in-use counter associated with said context buffer when an event is associated with said context buffer;

decrementing the in-use counter of said context buffer when said event associated with said context buffer is finished;

incrementing the in-use counter associated with said data buffer when an event is associated with said data buffer; and

Application/Control Number: 09/919,283

Art Unit: 2616

decrementing the in-use counter of said data buffer when said event associated with said data buffer is finished. --.

Claim 13 has been cancelled.

Claim 15 has been cancelled

In claim 16, line 4, "contents of a data" has been corrected to --contents of a data buffer--.

Additionally, for clarity, the examiner indicates that the support for the newly added limitation "where the plurality of state information buffers, the plurality of context buffers and the plurality of data buffers are formed as special purpose dedicated hardware buffers in the integrated circuit" can be found in the separate special purpose dedicated hardware buffers in Figures 3 and 6.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert C. Scheibel whose telephone number is 571-272-3169. The examiner can normally be reached on Monday and Thursday from 6:30-5:00 Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema S. Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/919,283 Page 4

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert C. Scheibel Examiner Art Unit 2616

SEEMA S. RAO 4171
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600